

# SAFETY DATA SHEET

## LEATHER CONDITIONER

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product Identifier

LEATHER CONDITIONER

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Cleaner and dressing for leather and vinyl surfaces.

#### 1.3 Details of the supplier of the data sheet

Travik Chemicals (UK) Limited

Grindon Way

Aycliffe Industrial Park

Newton Aycliffe

County Durham

DL5 6SH

United Kingdom

info@travik.co.uk

www.travik.co.uk

Tel: 01325 307000

Fax: 01325 307070

#### 1.4 Emergency telephone number

Nearest anti-poison centre or Guy's Hospital Poisons Unit, LONDON SE14 SER. (00 44 )(1 71) 6 35 91 91

During normal opening times: 01325 307000 (08.30 - 16.30)

### SECTION 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

- Asp. Tox. Category 1.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

- Harmful: may cause lung damage if swallowed.
- Repeated exposure may cause skin dryness or cracking.

#### 2.2 Label Elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Pictogram(s):



Signal Word (s):

- DANGER

Hazard Statement(s):

- H304 – May be fatal if swallowed and enters airways.

Precautionary Statement(s):

- P102 – Keep out of reach of children.
- P301 + P312 – IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- P331 – Do NOT induce vomiting.

# SAFETY DATA SHEET

## LEATHER CONDITIONER

### Supplemental Hazard Statement(s):

- EUH 066 – Repeated exposure may cause skin dryness or cracking.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

### Hazard Symbol(s):



### R-Phrase(s):

- R65 Harmful: may cause lung damage if swallowed.
- R66 Repeated exposure may cause skin dryness or cracking.

### S-Phrase(s):

- S2 Keep out of the reach of children.
- S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label whenever possible.)

## SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

### Composition:

Component	CAS	EINECS	CHIP CLASS.	CLP CLASS.	%
High boiling hydrocarbon distillate	N/A	232-455-8	Xn; R65, R66	EUH066. Asp. Tox. 1: H304	>90%

See Section 16 for the full text of the R-phrases and H statements declared above.

## SECTION 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

#### Notes to the physician:

- No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY!

#### In the event of exposure by inhalation:

- Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. If unconscious place in recovery position. Call a physician immediately.

#### In the event of splashes or contact with eyes:

- Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

#### In the event of splashes or contact with skin:

- Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

#### In the event of swallowing:

- DO NOT INDUCE VOMITING! NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Drink plenty of water. Get medical attention immediately! Provide rest, warmth and fresh air.

### 4.2 Most important symptoms and effects, both acute and delayed

- Irritation of nose, throat and airway. Vapours may cause headache, fatigue, dizziness and nausea. In high concentrations, vapours are anaesthetic and may cause headache, fatigue, dizziness and central nervous system effects. In case of overexposure, organic solvents may depress the central nervous system causing dizziness and intoxication, and at very high concentrations unconsciousness and death.
- May cause stomach pain or vomiting. The product may enter the lungs due to its low viscosity, and lead to the rapid development of very serious inhalation pulmonary lesions (medical survey during 48 hours).

## SAFETY DATA SHEET

### LEATHER CONDITIONER

- Eye irritation signs and symptoms may include a burning sensation, redness, swelling, and/or blurred vision.
- Skin irritation signs and symptoms may include a burning sensation, redness, swelling, and/or blisters.
- Defatting dermatitis signs and symptoms may include a burning sensation and/or a dried/cracked appearance.

#### 4.3 indication of any immediate medical attention and special treatment needed

- No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY!
- Treat symptomatically.

### SECTION 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

- Fire can be extinguished using: Foam. Dry chemicals, sand, dolomite etc.
- Do not use water jet as an extinguisher, as this will spread the fire.

#### 5.2 Special hazards arising from the substance or mixture

- The vapour may be invisible, heavier than air and spread along ground.
- Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.
- May ignite at high temperature and heating may generate vapours which may form explosive vapour/air mixtures. In case of fire, toxic gases may be formed.

#### 5.3 Advice for firefighters

- In the event of fire, wear self-contained breathing apparatus. Wear appropriate body protection (full protective suit)
- Cool closed containers exposed to fire with water spray. Heating will cause a pressure rise - with risk of bursting.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

- Consult the safety measures listed under headings 7 and 8.

##### For non fire-fighters

- If a large quantity has been spilt, evacuate all personnel and only allow intervention by trained operators equipped with safety apparatus.

##### For fire-fighters

- Fire-fighters will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

- Collect as much as possible in a clean container for (preferable) reuse or disposal.

#### 6.3. Methods and material for containment and cleaning up

- Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

#### 6.4. Reference to other sections

- No data available.

### SECTION 7. HANDLING AND STORAGE

- Requirements relating to storage premises apply to all facilities where the mixture is handled.
- Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

#### 7.1. Precautions for safe handling

- Always wash hands after handling.
- Remove and wash contaminated clothing before re-using.

##### Recommended equipment and procedures:

- For personal protection, see section 8.

## SAFETY DATA SHEET

### LEATHER CONDITIONER

- Observe precautions stated on label and also industrial safety regulations
- Avoid skin and eye contact with this mixture.

#### Prohibited equipment and procedures:

- No smoking, eating or drinking in areas where the mixture is used.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Store between 4°C and 25°C in a dry, well ventilated place.
- Combustible liquid. Keep away from sources of ignition - No smoking. The vapour may be invisible, heavier than air and spread along ground. Vapours may form explosive mixtures with air. Take measures to prevent the build up of electrostatic charge.

#### Storage

- Keep the container tightly closed in a dry, well-ventilated place

#### Packaging

- Always keep in packaging made of an identical material to the original

#### 7.3. Specific end use(s)

- The identified uses for this product are detailed in Section 1.2.

### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1. Control parameters

Occupational exposure limits: No data Available

#### 8.2. Exposure controls

##### Personal protection measures, such as personal protective equipment

##### - Eye / face protection

- Use chemical goggles. Chemical goggles should be consistent with EN 166 or equivalent.

##### - Skin Protection:

- When prolonged or frequently repeated contact could occur, use protective clothing chemically resistant to this material. Selection of specific items such as faceshield, boots, apron, or full-body suit will depend on the task.

##### Hand protection

- Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

##### - Respiratory protection

- Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process.
- In case of insufficient ventilation, wear suitable respiratory equipment.
- Use respirator with appropriate filter if vapours or aerosol are released.
- Recommended Filter type: A.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

##### General information:

Physical state:	Liquid
Colour	Clear, pale yellow.
Odour	Petrochemical/solvent.
pH of the substance or preparation:	N/A – Non-aqueous.
Flash point interval:	190 Deg C
Vapour pressure:	not determined
Relative Density:	0.82

# SAFETY DATA SHEET

## LEATHER CONDITIONER

**Water solubility:**

Insoluble in water Soluble in: Organic solvents

### 9.2. Other information

- No data available.

## SECTION 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

- No dangerous reaction known under conditions of normal use.

### 10.2. Chemical stability

- This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

- Exothermic reaction with strong acids. Incompatible with oxidizing agents.

### 10.4. Conditions to avoid

- Heat, flames or sparks.
- 10. 5. Incompatible materials**
- Keep away from: Strong oxidising agents, strong acids.

### 10.6. Hazardous decomposition products

- Under fire conditions: Carbon oxides

## SECTION 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

**Mixture:**

- No toxicological data available for the mixture.

**Skin corrosion/skin irritation:**

- Repeated exposure may cause skin dryness or cracking.

**Serious damage to eyes/eye irritation:**

- Not determined.

**Respiratory or skin sensitisation:**

- Risk of severe pulmonary problems in case of accidental aspiration.

**Component Toxicology:**

Component	Test	Type	Value
High boiling hydrocarbon distillate	Acute Oral Toxicity	LD50, Rat-Male, Female	>5000mg/kg

## SECTION 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Component Ecotoxicology:**

Component	Test	Type	Value
High boiling hydrocarbon distillate	Fish	96H LC50	>100mg/l

### 12.2. Persistence and degradability

- No data available.

### 12.3. Bioaccumulative potential

- No data available.

### 12.4. Mobility in soil

- No data available.

### 12.5. Results of PBT and vPvB assessment

- No data available.

### 12.6. Other adverse effects

- No known significant effects or critical hazards

# SAFETY DATA SHEET

## LEATHER CONDITIONER

### SECTION 13. DISPOSAL CONSIDERATIONS

- Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

##### Waste:

- Must be disposed of in accordance with local and national regulations.

##### Soiled packaging:

- Dispose of as normal industrial waste. If empty containers are recycled or disposed of, the receiver must be informed about possible hazards. NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

### SECTION 14. TRANSPORT INFORMATION

- Classification: Not classified as hazardous for transport.

### SECTION 15. REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### - Particular provisions:

- No data available.

#### 15.2. Chemical safety assessment

- No data available.

### SECTION 16. OTHER INFORMATION

- Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.
- It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.
- The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.
- To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein
- Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist

#### Full Text of abbreviated H Statements:

H304 – May be fatal if swallowed and enters airways.

EUH 066 – Repeated exposure may cause skin dryness or cracking.

#### Full Text of abbreviated R-Phrases:

R65 – Harmful: may cause lung damage if swallowed.

R66 – Repeated exposure may cause skin dryness or cracking.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.